

Model: 51CS007-703A

Carrier Casement Air Conditioner



TURN TO THE EXPERTS™

SO COOL

SO EASY

SO WONDERFUL



- Dehumidify Function
- High Speed Cooling
- Fuzzy Control
- Low Noise Sleeping Mode
- 24 Hours Timer
- Room Temperature Display
- LCD Remote Controller
- Button Control On The Panel
- Easy Installing Mounting Kit



ENERGY EFFICIENCY RATING
LOW

Energy Consumption kWh per hr
0.84


Cooling Capacity: 1.65 kW Carrier
Casement type air-conditioner 51CS007-703A

Tested in accordance with ISO 5151
Actual energy consumption may vary from test results
For more information and to compare models, visit www.nea.gov.sg
MELS-CAR-AC07103


Carrier Casement Air Conditioner Model 51CS007-703A

Wireless Remote Control


- 1 Timer Display
- 2 Sleep Display
- 3 Function Display
- 4 Cool Display
- 5 Dry Display
- 6 Fan Display
- 7 Temperature Setting Display
- 8 Signal Transmission Active Display
- 9 Fan Speed Display
- 10 FUZZY Display
- 11 HIGH Display
- 12 MEDIUM Display
- 13 LOW Display
- 14 On / Off Key
- 15 Sleep Key
- 16 Fan Speed Key
- 17 ▲ Temperature Setting - Up
- 18 ▼ Temperature Setting - Down
- 19 Timer Setting Key
- 20 Function Key



Easy Installation Unit



AIR CONDITIONER CONTROLS



Carrier Wonder Unit provides a comfortable and silent good night sleep. Also, upon returning home, the room can be made cold almost immediately with its high speed cooling and the Dehumidify Function helps to keep humidity out. An end to warm afternoons or sleepless nights!

Light fibers emitted are kept at a minimum with its Fuzzy Control Function; no more worries even if you have sensitive nose.

Furthermore, installing is nearly effortless with the easy installing mounting kit. So simple that you can even fix it yourself. With the carefully planned and ingenious design of Carrier Wonder Unit, you can be assured to have a peace of mind.

TECHNICAL SPECIFICATIONS

TYPE		VERTICAL WINDOW AIR-CON	
MODEL	51CS007-703A		
RATED CAPACITY	KW	1.67	
	Btuh	5700	
MEASURED CAPACITY	KW	1.65	
POWER SOURCE	Phase	1	
	V	230	
	Hz	50	
POWER CONSUMPTION	W	834	
RUNNING CURRENT	A	4.1	
STARTING CURRENT	A	20	
MOISTURE REMOVAL	Lit/h	1.1	
AIR VOLUME	HIGH FAN	M3/min (CFM)	5.0 (175)
COMPRESSOR	TYPE	HERMETIC	ROTARY
DIMENSION	HEIGHT (mm)		750
	WIDTH (mm)		330
	DEPTH (mm)		225
NET WEIGHT	KG	23	
AIR FILTER	WASHABLE		
DRAIN	INSTALL DRAIN PIPE WHEN REQUIRE		

Remarks: Cooling capacity rated test in compliance with NEA regulations.

Your Carrier Dealer

Catalog no. : 51CS007-703_Oct 2007

THE CARRIER MAN CAN



- 1) Manufacturer reserves the right to discontinue or change at any time, specifications or design without notice & without incurring any obligation.
- 2) All Carrier products sold are covered under Carrier standard warranty. Please ensure that your warranty cards are sent to Carrier Singapore (Pte) Limited or local distributor for registration.